

BHARTIA ENCLOSURES
Tough. Rugged. Reliable



TCE SERIES
Floor standing enclosure




BCH
ELECTRIC
LIMITED

SUPERIOR PROTECTION AGAINST DUST AND WATER



IP66 | IP65 | IK10 | C €



3-part Gland Plate
Easy to interchange




Separate Locking
Left side door



M6 earthing

PROFILE



4-Point
Lock

PU Foam



TCE Series

Rigid and highly flexible modular enclosure series for versatile application. Ideally suited for Industrial automation / Drives / Power transmission and distribution / Special purpose machines.

TCE Series offers IP66-IK10 protection for single door enclosure and IP65-IK10 protection for double door enclosure.

Robust profile with 25mm hole pattern and joined together with uniform diagonal accuracy. Door and covers protect dust and water by highly resilient foamed PU gasket. The Mounting plate with high load bearing capacity is depth adjustable with sliding provision.

Material of TCE Series Enclosure

Frame: 2.0mm Painted Steel

Door: 2.0mm Painted Steel

Rear, Top and Side panels: 1.6mm painted steel

Mounting Plate: 3.0mm Galvanized steel

Bottom Gland Plate: 2.0mm Galvanized Steel

Surface finish: RAL-7035 to enclosure

The Design incorporate user friendly features

- Removable Door and covers
- Door with Interchangeability features (LHS/RHS)
- 4-point locking for doors
- Separate locking at LHS door with swing handle for Double door
- Bolted Stiffener for door with powder coating
- 3-Part Gland plate
- Eye bolt for lifting
- Modular plinth (optional) 100mm Height
- Side panel (optional) removable type

TCE Series Enclosure Code Selection

Example :-

TCE	06	18	05	-	001
TCE Series of Enclosure	Width	Height	Depth		Version

Width	Height	Depth
06-600 W	18-1800 H	04-400 D
08-800 W	20-2000 H	05-500 D
10-1000 W	22-2200 H	06-600 D
12-1200 W		08-800 D

001	002	003	004	005
Structure	Structure	Structure	Structure	Structure
Front Door with Hinge	Front Door with Hinge	Front Door with Hinge	Front Door with Hinge	Front Door with Hinge
Rear Bolted Cover	Rear Door with Hinge	Rear Bolted Cover	Rear Door with Hinge	Rear Door with Hinge
STD Gland Plate	STD Gland Plate	STD Gland Plate	STD Gland Plate	STD Gland Plate
Top Cover	Top Cover	Top Cover	Top Cover	Top Cover
Eye Bolt	Eye Bolt	Eye Bolt	Eye Bolt	Eye Bolt
01 Mounting Plate	01 Mounting Plate	No Mounting Plate	No Mounting Plate	2 Mounting Plate



Standard Available size of TCE

Size of Enclosure in mm			CAT No for TC Enclosure				
Width (W)	Height (H)	Depth (D)	VER-001	VER-002	VER-003	VER-004	VER-005
600	1800	400	TCE061804-001	TCE061804-002	TCE061804-003	TCE061804-004	---
800	1800	400	TCE081804-001	TCE081804-002	TCE081804-003	TCE081804-004	---
1000	1800	400	TCE101804-001	TCE101804-002	TCE101804-003	TCE101804-004	---
1200	1800	400	TCE121804-001	TCE121804-002	TCE121804-003	TCE121804-004	---
600	1800	500	TCE061805-001	TCE061805-002	TCE061805-003	TCE061805-004	---
800	1800	500	TCE081805-001	TCE081805-002	TCE081805-003	TCE081805-004	---
1000	1800	500	TCE101805-001	TCE101805-002	TCE101805-003	TCE101805-004	---
1200	1800	500	TCE121805-001	TCE121805-002	TCE121805-003	TCE121805-004	---
800	1800	600	TCE081806-001	TCE081806-002	TCE081806-003	TCE081806-004	TCE081806-005
800	1800	800	TCE081808-001	TCE081808-002	TCE081808-003	TCE081808-004	TCE081808-005
600	2000	400	TCE062004-001	TCE062004-002	TCE062004-003	TCE062004-004	---
800	2000	400	TCE082004-001	TCE082004-002	TCE082004-003	TCE082004-004	---
1000	2000	400	TCE102004-001	TCE102004-002	TCE102004-003	TCE102004-004	---
1200	2000	400	TCE122004-001	TCE122004-002	TCE122004-003	TCE122004-004	---
600	2000	500	TCE062005-001	TCE062005-002	TCE062005-003	TCE062005-004	---
800	2000	500	TCE082005-001	TCE082005-002	TCE082005-003	TCE082005-004	---
1000	2000	500	TCE102005-001	TCE102005-002	TCE102005-003	TCE102005-004	---
1200	2000	500	TCE122005-001	TCE122005-002	TCE122005-003	TCE122005-004	---
600	2000	600	TCE062006-001	TCE062006-002	TCE062006-003	TCE062006-004	TCE062006-005
800	2000	600	TCE082006-001	TCE082006-002	TCE082006-003	TCE082006-004	TCE082006-005
1000	2000	600	TCE102006-001	TCE102006-002	TCE102006-003	TCE102006-004	TCE102006-005
1200	2000	600	TCE122006-001	TCE122006-002	TCE122006-003	TCE122006-004	TCE122006-005
600	2000	800	TCE062008-001	TCE062008-002	TCE062008-003	TCE062008-004	TCE062008-005
800	2000	800	TCE082008-001	TCE082008-002	TCE082008-003	TCE082008-004	TCE082008-005
1000	2000	800	TCE102008-001	TCE102008-002	TCE102008-003	TCE102008-004	TCE102008-005
1200	2000	800	TCE122008-001	TCE122008-002	TCE122008-003	TCE122008-004	TCE122008-005
600	2200	600	TCE062206-001	TCE062206-002	TCE062206-003	TCE062206-004	TCE062206-005
800	2200	600	TCE082206-001	TCE082206-002	TCE082206-003	TCE082206-004	TCE082206-005
1000	2200	600	TCE102206-001	TCE102206-002	TCE102206-003	TCE102206-004	TCE102206-005
1200	2200	600	TCE122206-001	TCE122206-002	TCE122206-003	TCE122206-004	TCE122206-005
600	2200	800	TCE062208-001	TCE062208-002	TCE062208-003	TCE062208-004	TCE062208-005
800	2200	800	TCE082208-001	TCE082208-002	TCE082208-003	TCE082208-004	TCE082208-005
1000	2200	800	TCE102208-001	TCE102208-002	TCE102208-003	TCE102208-004	TCE102208-005
1200	2200	800	TCE122208-001	TCE122208-002	TCE122208-003	TCE122208-004	TCE122208-005



TCE Bottom Plinth 100mm Height

Size in MM		Model No. of TCE Plinth
Width (W)	Depth (D)	
600	400	TCEPL0604
800	400	TCEPL0804
1000	400	TCEPL1004
1200	400	TCEPL1204
600	500	TCEPL0605
800	500	TCEPL0805
1000	500	TCEPL1005
1200	500	TCEPL1205
600	600	TCEPL0606
800	600	TCEPL0806
1000	600	TCEPL1006
1200	600	TCEPL1206
600	800	TCEPL0608
800	800	TCEPL0808
1000	800	TCEPL1008
1200	800	TCEPL1208




TCE Side Panel

Size in MM		Model No. of TCE Side Panel
Height (H)	Depth (D)	
1800	400	TCESP0418
1800	500	TCESP0518
1800	600	TCESP0618
1800	800	TCESP0818
2000	400	TCESP0420
2000	500	TCESP0520
2000	600	TCESP0620
2000	800	TCESP0820
2200	600	TCESP0622
2200	800	TCESP0822



Dimensional Drawing of TCE Series Enclosure



- W:** - Width of Enclosure (600/800/1000/1200)
- H:** - Height of Enclosure (1800/2000/2200)
- D:** - Depth of Enclosure (400/500/600/800)

TCE Series Enclosure Accessories

Mounting Plate Filler Profile

- Reference - Enclosure Height
Material - 3.0mm Galvanized steel
Supply - 01Nos Filler Profile +
01 Set fixing Accessories

Enclosure Height (MM)	Model No.	QTY.
1800	TCE -FP -1800	01NOS
2000	TCE -FP -2000	01NOS
2200	TCE -FP -2200	01NOS



Baying System

- Reference: - Description
Material: - 3.0mm CRCA with
Zinc Plated
Supply: - With 01set with Accessories

Description	Model No.	QTY.
Combination Angle	TCE -14281	02 NOS
Baying KIT	TCE -14280	01 Set



Wiring Plan Pocket

- Reference - Width of Enclosure Door
Material - 1.6mm CRCA with
RAL-7035 Powder Coated
Supply - 01Nos Wiring plan Pocket +
01 Set Fixing Accessories

Description	Model No.	QTY.
File Pocket 500W	TCE -TPKT -500	01NOS
File Pocket 600W	TCE -TPKT -600	01NOS
File Pocket 800W	TCE -TPKT -800	01NOS





Lamp Rail

- Reference** - Width of Enclosure Door
- Material** - 2.0mm GPSP
- Supply** - 01Nos Lamp Rail+
01 Set Fixing Accessories

Description	Model No.	QTY.
Lamp Rail 600W	TCE - LAMP - RAIL - 600	01NOS
Lamp Rail 800W	TCE - LAMP - RAIL - 800	01NOS
Lamp Rail 1000W	TCE - LAMP - RAIL - 1000	01NOS
Lamp Rail 1200W	TCE - LAMP - RAIL - 1200	01NOS

Limit Switch

- Reference** - BCH Limit Switch
- Supply** - 01Nos Limit Switch +
01 Set fixing Accessories

Description	Model No.	QTY.
BCH Limit Switch	TCE - LC	01NOS

Punched Section for Width/ Depth

- Reference** - Width/Depth of Enclosure
- Material** - 2.0mm Galvanized steel
- Supply** - 01Nos Punched section +
01 Set fixing Accessories

Enclosure Width (MM)	Model No.	QTY.
600	TCE - PSW - 600	01NOS
800	TCE - PSW - 800	01NOS
1000	TCE - PSW - 1000	01NOS
1200	TCE - PSW - 1200	01NOS

Enclosure Depth (MM)	Model No.	QTY.
500	TCE - PSD - 500	01NOS
600	TCE - PSD - 600	01NOS
800	TCE - PSD - 800	01NOS

THE MANUFACTURING PROCESS



Our state-of-the-art suitably augmented manufacturing infrastructure, produces enclosures that excel to highest quality with cost effectiveness. Our focus is on strong infrastructure, high efficiency and consistent quality.

- High quality CRCA (branded) steel sheets
- 3D software used to design the products
- Superior servo drive punching and machine
- CNC machines are supported by 3D compatible software, which enables CAD to CAM manufacturing for customized products
- CNC bending machines with very high degree of accuracy, reproducibility & repeatability
- The fabrication process designed with TIG, MIG, spot and Pulse welding ensures strong structures
- Fully automatic and eco-friendly powder coating plant
- 10-Tank pre-treatment is done using spray jets and cascade rinsing, which ensures optimized usage of chemicals
- Tri-cationic zinc phosphating for higher salt spray life
- The door panels are processed with foam gasketing - made from Poly Urethane polymer for long life



Power Distribution
Final Distribution Products
Industrial Control & Protection
Industrial Brakes
Industrial Automation & Safety
Starters
Enclosures
Wires & Cables
Power Quality & Energy Management
Electric Motors
Switchboards & Solutions
Power Bus Duct



BCH

BCH ELECTRIC LIMITED



www.bchindia.com



1800-103-9262

customercare@bchindia.com

Visit us at : www.bchindia.com

Registered & Corporate Office : 1105, New Delhi House, 27, Barakhamba Road, New Delhi - 110 001 Tel. : 91-11- 43673100

CIN : U31103DL1965PLC425953, **Customercare No.** 1800-103-9262, **E-mail :** marketing@bchindia.com

Works 1 : 20/4, Mathura Road, Faridabad - 121 006 (Haryana) Tel. : 0129-4063000/4293000 Fax : 0129-2304016

Works 2 : 64-68, Sector-7, IIE, Pant Nagar, Rudrapur, Udham Singh Nagar - 263 153 (Uttarakhand) Tel. : 05944-250214/16 Fax : 05944-250215

Sales Offices :

Ahmedabad
401, Shilp Zeveri,
Beside Shyamal Iconic,
Above Westside,
Shyamal Cross Road,
Ahmedabad - 380015
E-mail.: ahmedabad@bchindia.com

Bangalore
2nd Floor, 130/5,
K.H. Road (Double road),
Bangalore - 560 027
Tel. : 080-41144879 / 22236759
E-mail : bangalore@bchindia.com

Bhubaneswar
Mallick Commercial
Complex Plot No.: A/69, unit - 3
Bhubaneswar - 751 001
Tel.: 0674-2380988
E-mail.: bhubaneswar@bchindia.com

Chandigarh (Panchkula)
SCO -270, 2nd Floor,
Sector-16, Panchkula
Haryana-134 113
Tel.: 0172-5078957 / 5049905
E-mail.: chandigarh@bchindia.com

Chennai
Flat No. 3A, 3rd Floor,
Sree Apartments,
No.508, TTK Road,
Alwarpet, Chennai 600 018
Tel.: 044-24337046, 24337047
E-mail : chennai@bchindia.com

Coimbatore
87, Dr. Nanjappa Road,
Coimbatore - 641 018
Tel. : 0422-2305311 / 2302599
E-mail : coimbatore@bchindia.com

Delhi 1
801, Akash Deep Building,
26A, Barakhamba Road,
New Delhi - 110 001
Tel. : 011-23313878 / 43518200
E-mail : delhi@bchindia.com

Delhi 2
710, Deepali Building, 92
Nehru Place, New Delhi - 110
019 Tel. : 011-45720334
E-mail : delhi2@bchindia.com

Dehradun
8, Co-operative Industrial Estate,
Patel Nagar, Dehradun-248001
E-mail : dehradun@bchindia.com

Faridabad
20/4, Mathura Road,
Faridabad - 121 006 (Haryana)
Telfax : 0129-4293009
E-mail : faridabad@bchindia.com

Hyderabad
1-8-303/48/13/102, Arya One,
2nd Floor, P. G. Road,
Secunderabad - 500 003
Tel. : 040-66206263/27890306
Fax : 040-66207273
E-mail : hyderabad@bchindia.com

Indore
330-331, Indraprastha Tower,
3rd Floor, 6, M.G. Road,
Indore - 452 001
Tel. : 0731-2510011 / 2510012
E-mail : indore@bchindia.com

Jaipur
25, Hathroi, Gopalbari,
Jaipur - 302 001
Tel. : 0141-2363521
E-mail : jaipur@bchindia.com

Jamshedpur
A.J. Tower, 2B,
2nd Floor, R-Road, Bistupur,
Jamshedpur - 831 001
E-mail : jamshedpur@bchindia.com

Kolkata
Block 1E, 216,
Acharya Jagadish Chandra Bose
Road, Kolkata - 700 017
Tel. : 033-22871728 / 46021884
E-mail : kolkata@bchindia.com

Lucknow
Shop No. 3, First Floor,
Tower T-10, Millennium Place IBB - 2,
Sushant Golf City, Sultanpur Road,
Lucknow U.P. - 226030
Tel. : 0522-4025597/4025997
E-mail : lucknow@bchindia.com

Ludhiana
S.C.O. - 18, 2nd Floor,
Feroze Gandhi Market,
Ludhiana - 140 001
Tel. : 0161-5021807/5022808
E-mail : ludhiana@bchindia.com

Madurai
12, Parvathi Plaza-3rd Floor,
70 Feet Road, Ellis Nagar
Madurai-625016, Tamilnadu
Email: madurai@bchindia.com

Mumbai
A-151, Mittal Tower,
Nariman Point,
Mumbai - 400 021
Tel. : 022-22822947/22850162
Fax : 022-22822858
E-mail : mumbai@bchindia.com

Patna
No.703, 7th Floor, Luv Kush
Tower, Exhibition Road,
Patna - 800001

Pune
A-605, 6th Floor,
Kumar Surabhi Building,
Pune Satara Road,
Opposite Sai Baba Temple,
Pune - 411009
E-mail : pune@bchindia.com

Raipur
6th Floor, Office No. 607,
Babylon Capital, Near Oswal
Petrol Pump, VIP Chowk,
G.E. Road, Raipur - 492 006
Tel. : 0771- 4045053
E-mail : raipur@bchindia.com

Vadodara
301, Third Floor, "Florence Classic",
10, Ashapuri Co-Op. Hsg. Soc. Ltd., Opp. VUDA
Housing, Near Cow Circle, Akota, Vadodara - 390 020
Tel. : 0265-2345068/2345069
Telefax : 0265-2345068,
E-mail : vadodara@bchindia.com

Other Branch Locations

Cochin : cochin@bchindia.com, **Guwahati :** guwahati@bchindia.com, **Vishakapatnam :** vizag@bchindia.com, **Surat :** surat@bchindia.com, **Trichy :** Trichy@bchindia.com

Resident Engineer Locations

Agra	Bhopal	Hospet	Kanpur	Muzaffarnagar	Rajahmundry	Silliguri	Varanasi
Ahmednagar	Calicut	Hubli	Karimnagar	Nanded	Ranchi	Solapur	Vijaywada
Ambala	Goa	Idukki	Karnal	Nashik	Rourkela	Srinagar	Vishakapatnam
Anantapur	Gulbarga	Jabalpur	Kota	Panipat	Rudarpur	Trivendrum	Vellore
Ankleshwar	Gurgaon	Jalandhar	Kurnool	Patna	Salem	Tirunelveli	Vilupuram
Aurangabad	Haridwar	Jodhpur	Mahapore	Putucherry	Sikar	Udaipur	Warangal
Bhiwadi	Hisar	Kashipur	Mahua	Rajkot	Silchar	Vapi	Yamunanagar

Since product improvement is a continuous process, the data furnished in this brochure may undergo revision without prior notice.