



BCH
ELECTRIC
LIMITED

FINAL DISTRIBUTION PRODUCTS

Price list Effective

19th August 2026



www.bchindia.com



BCH

Modern facilities at Faridabad & Rudrapur

Our Strengths

- ◆ State-of-the-art product development and R&D
- ◆ Modern manufacturing facilities
- ◆ Tool room with latest facilities
- ◆ Serving customers for five decades
- ◆ Presence in ~50 locations
- ◆ 650 channel partners
- ◆ ISO 9001:2015 & ISO 14001:2015, ISO 45001: 2018 certified company

Core Values

- ◆ Integrity
- ◆ Nurturing People
- ◆ Commitment to Customers
- ◆ Striving for Excellence
- ◆ Long Term Thinking

Quality Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to provide Quality products and service in compliance with applicable Statutory and Regulatory requirements, to meet or exceed the customer need and expectations through -

- ◆ Continual improvement
- ◆ Involvement of employees
- ◆ Setting Quality objectives
- ◆ Training and development of employees

Health & Safety Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to conduct Business in compliance to applicable Health & Safety legislation and regulation.

We shall continually improve through -

- ◆ Provide Safe & Healthy working conditions for the prevention of work related injury and ill health.
- ◆ Develop & maintain the Health & Safety objectives & targets and conduct health & safety programs for achieving the objectives and target.
- ◆ The prevention of accidents through the identification, assessment and elimination of workplace hazards and the promotion of health & safety awareness among its employees and contractors.
- ◆ Encourage employee's participation and consultation in matters affecting the health, safety and well being of our people and seek suggestions from our employees of ways in which health, safety & well being can be furthered.

The Health & safety policy is publicly available on request.

Environmental Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to conduct Business in compliance to applicable Environmental legislation and regulation.

We shall continually improve through -

- ◆ Provide a framework for setting and reviewing environmental objectives and targets.
- ◆ Regularly review the impact of our activities on environment and strive to reduce the pollution/waste.
- ◆ Involve employees in our environmental program and provide necessary training to enable them to discharge their responsibilities towards environment management.
- ◆ Sustain the program of continual improvement in environment in environmental performance incorporating suitable metrics and monitoring.

The Environment policy is publicly available on request.




www.bchindia.com


Product Range

- Current ratings : 0.5A - 63A
- Possible configuration : 1P / 1P+N / 2P / 3P / 3P+N / 4P
- Insulation voltage : 690V
- Impulse withstand : 4kV
- Breaking capacity : 10kA
- Terminal capacity : 35 Sq mm (Cu)
- Magnetic tripping curve : B Curve & C Curve
- Compliance with standards : IS/IEC 60898-1
IS/IEC 60947-2
- Operating temperature range : -5°C to +55°C
- Electrical life : Up to 10000 operations
(IS recommend & certifies 4000 operations)
- Mechanical life : Up to 10000 operations
- Energy Limiting Class : 3


- Line load interchangeability
- Dual Position Mounting Clip for easy installation
- Fast Tripping
- Current limiting design
- Bi-connect Terminals




PRODUCT CERTIFICATION



Tripping Curves



‘B’ Characteristics



‘C’ Characteristics

Low Watt Loss to Save Energy

Comparison w.r.t. IS/IEC - 60898 -1-2002		
Rating (Amp)	As per IS/IEC 60898-1-2002 Maximum Watt Loss	BCH Watt Loss / pole (Watt)
6	3.0W	1.4
10	3.0W	1.95
16	3.5W	2.19
20	4.5W	2.4
25	4.5W	2.9
32	6.0W	4.5
40	7.5W	5
50	7.5W	5.5
63	13.W	6.93



Pole	Standard pack of	Rating	B Curve Cat. No.	MRP [₹]	C Curve Cat. No.	MRP [₹]	Rating	Lower Rating Cat. No.	MRP [₹]
1P	12 units	6A	BCHX10SPB06	355	BCHX10SPC06	355	0.5A 1A 2A 3A 4A 5A	BCHX10SPCL5 BCHX10SPC01 BCHX10SPC02 BCHX10SPC03 BCHX10SPC04 BCHX10SPC05	600 600 600 600 600 600
		10A	BCHX10SPB10	355	BCHX10SPC10	355			
		16A	BCHX10SPB16	355	BCHX10SPC16	355			
		20A	BCHX10SPB20	355	BCHX10SPC20	355			
		25A	BCHX10SPB25	355	BCHX10SPC25	355			
		32A	BCHX10SPB32	355	BCHX10SPC32	355			
		40A	BCHX10SPB40	865	BCHX10SPC40	865			
		50A	BCHX10SPB50	920	BCHX10SPC50	920			
		63A	BCHX10SPB63	920	BCHX10SPC63	920			
1P+N	6 units	6A			BCHX10SNC06	1220			
		10A			BCHX10SNC10	1220			
		16A			BCHX10SNC16	1220			
		20A			BCHX10SNC20	1220			
		25A			BCHX10SNC25	1220			
		32A			BCHX10SNC32	1220			
		40A			BCHX10SNC40	1770			
		50A			BCHX10SNC50	2000			
		63A			BCHX10SNC63	2000			
2P	6 units	6A	BCHX10DPB06	1275	BCHX10DPC06	1275	0.5A 1A 2A 3A 4A 5A	BCHX10DPCL5 BCHX10DPC01 BCHX10DPC02 BCHX10DPC03 BCHX10DPC04 BCHX10DPC05	1780 1780 1780 1780 1780 1780
		10A	BCHX10DPB10	1275	BCHX10DPC10	1275			
		16A	BCHX10DPB16	1275	BCHX10DPC16	1275			
		20A	BCHX10DPB20	1275	BCHX10DPC20	1275			
		25A	BCHX10DPB25	1275	BCHX10DPC25	1275			
		32A	BCHX10DPB32	1275	BCHX10DPC32	1275			
		40A	BCHX10DPB40	1890	BCHX10DPC40	1890			
		50A	BCHX10DPB50	2130	BCHX10DPC50	2130			
		63A	BCHX10DPB63	2130	BCHX10DPC63	2130			
3P	4 units	6A	BCHX10TPB06	2010	BCHX10TPC06	2010	0.5A 1A 2A 3A 4A 5A	BCHX10TPCL5 BCHX10TPC01 BCHX10TPC02 BCHX10TPC03 BCHX10TPC04 BCHX10TPC05	2515 2515 2515 2515 2515 2515
		10A	BCHX10TPB10	2010	BCHX10TPC10	2010			
		16A	BCHX10TPB16	2010	BCHX10TPC16	2010			
		20A	BCHX10TPB20	2010	BCHX10TPC20	2010			
		25A	BCHX10TPB25	2010	BCHX10TPC25	2010			
		32A	BCHX10TPB32	2010	BCHX10TPC32	2010			
		40A	BCHX10TPB40	2990	BCHX10TPC40	2990			
		50A	BCHX10TPB50	3120	BCHX10TPC50	3120			
		63A	BCHX10TPB63	3120	BCHX10TPC63	3120			
3P+N	3 units	6A			BCHX10TNC06	2570			
		10A			BCHX10TNC10	2570			
		16A			BCHX10TNC16	2570			
		20A			BCHX10TNC20	2570			
		25A			BCHX10TNC25	2570			
		32A			BCHX10TNC32	2570			
		40A			BCHX10TNC40	3495			
		50A			BCHX10TNC50	3715			
		63A			BCHX10TNC63	3715			
4P	3 units	6A	BCHX10FPB06	2845	BCHX10FPC06	2845	0.5A 1A 2A 3A 4A 5A	BCHX10FPCL5 BCHX10FPC01 BCHX10FPC02 BCHX10FPC03 BCHX10FPC04 BCHX10FPC05	3485 3485 3485 3485 3485 3485
		10A	BCHX10FPB10	2845	BCHX10FPC10	2845			
		16A	BCHX10FPB16	2845	BCHX10FPC16	2845			
		20A	BCHX10FPB20	2845	BCHX10FPC20	2845			
		25A	BCHX10FPB25	2845	BCHX10FPC25	2845			
		32A	BCHX10FPB32	2845	BCHX10FPC32	2845			
		40A	BCHX10FPB40	3900	BCHX10FPC40	3900			
		50A	BCHX10FPB50	4045	BCHX10FPC50	4045			
		63A	BCHX10FPB63	4045	BCHX10FPC63	4045			

New

R10 DC MCB



- Range : 6A to 63A
- Pole : 1P, 2P, 3P & 4P
- Breaking Capacity : 10 kA
- Energy Limiting Class : 3
- Voltage : upto 1000V DC
- Ergonomic Lever
- Bi Connecting Terminals
- ON/OFF Contact Position Indicator
- Standard Conformity IS/IEC 60947-2

R10 DC MCB



Pole	Rating	Cat No.	MRP [₹]	Standard Packing
1	6A	BCHR10DCSP06-250	765	12 Units
	10A	BCHR10DCSP10-250	765	
	16A	BCHR10DCSP16-250	765	
	20A	BCHR10DCSP20-250	765	
	25A	BCHR10DCSP25-250	765	
	32A	BCHR10DCSP32-250	765	
	40A	BCHR10DCSP40-250	On request	
	50A	BCHR10DCSP50-250	On request	
	63A	BCHR10DCSP63-250	On request	
2	6A	BCHR10DCDP06-500	1650	6 Units
	10A	BCHR10DCDP10-500	1650	
	16A	BCHR10DCDP16-500	1650	
	20A	BCHR10DCDP20-500	1650	
	25A	BCHR10DCDP25-500	1650	
	32A	BCHR10DCDP32-500	1650	
	40A	BCHR10DCDP40-500	On request	
	50A	BCHR10DCDP50-500	On request	
	63A	BCHR10DCDP63-500	On request	
3	6A	BCHR10DCTP06-750	On request	4 Units
	10A	BCHR10DCTP10-750	On request	
	16A	BCHR10DCTP16-750	On request	
	20A	BCHR10DCTP20-750	On request	
	25A	BCHR10DCTP25-750	On request	
	32A	BCHR10DCTP32-750	On request	
	40A	BCHR10DCTP40-750	On request	
	50A	BCHR10DCTP50-750	On request	
	63A	BCHR10DCTP63-750	On request	
4	6A	BCHR10DCFP06-1000	On request	3 Units
	10A	BCHR10DCFP10-1000	On request	
	16A	BCHR10DCFP16-1000	On request	
	20A	BCHR10DCFP20-1000	On request	
	25A	BCHR10DCFP25-1000	On request	
	32A	BCHR10DCFP32-1000	On request	
	40A	BCHR10DCFP40-1000	On request	
	50A	BCHR10DCFP50-1000	On request	
	63A	BCHR10DCFP63-1000	On request	





HSN Code : 8536

Poles	Standard Pack of	Rating	Cat. No.	MRP[₹]
2P	6 units	40A	BCHISODP40	890
	6 units	63A	BCHISODP63	1110
3P	4 units	40A	BCHISOTP40	1715
	4 units	63A	BCHISOTP63	1920
4P	3 units	40A	BCHISOFP40	1955
	3 units	63A	BCHISOFP63	2155

RCCB



RCCB, Double Pole

HSN Code : 8536

Description	Cat. No.	MRP [₹]
25A - 30mA	BCHRCBR030DPC25	4695
40A - 30mA	BCHRCBR030DPC40	4800
63A - 30mA	BCHRCBR030DPC63	6440
25A - 100mA	BCHRCBR100DPC25	4745
40A - 100mA	BCHRCBR100DPC40	4920
63A - 100mA	BCHRCBR100DPC63	6580
25A - 300mA	BCHRCBR300DPC25	4745
40A - 300mA	BCHRCBR300DPC40	5265
63A - 300mA	BCHRCBR300DPC63	6580

All above RCCB's are 'AC' type



RCCB, Four Pole

HSN Code : 8536

Description	Cat. No.	MRP [₹]
25A - 30mA	BCHRCBR030FPC25	6045
40A - 30mA	BCHRCBR030FPC40	6220
63A - 30mA	BCHRCBR030FPC63	7000
25A - 100mA	BCHRCBR100FPC25	6220
40A - 100mA	BCHRCBR100FPC40	6490
63A - 100mA	BCHRCBR100FPC63	7000
25A - 300mA	BCHRCBR300FPC25	6220
40A - 300mA	BCHRCBR300FPC40	6520
63A - 300mA	BCHRCBR300FPC63	7000

All above RCCB's are 'AC' type

- Zone: Effects
- Zone 1: Usually no reactions.
- Zone 2: Usually no harmful effects.
- Zone 3: Muscle cramps can occur. There is normally no danger of ventricular fibrillation.
- Zone 4: Ventricular fibrillation may occur which can be fatal.



HSN Code : 8536

Description	Cat. No.	MRP [₹]
25A - 30mA	BCHRCB030DPC25	On Request
40A - 30mA	BCHRCB030DPC40	On Request
63A - 30mA	BCHRCB030DPC63	On Request
25A - 100mA	BCHRCB100DPC25	On Request
40A - 100mA	BCHRCB100DPC40	On Request
63A - 100mA	BCHRCB100DPC63	On Request
25A - 300mA	BCHRCB300DPC25	On Request
40A - 300mA	BCHRCB300DPC40	On Request
63A - 300mA	BCHRCB300DPC63	On Request


All above RCCB's are 'AC' type



HSN Code : 8536

Description	Cat. No.	MRP [₹]
25A - 30mA	BCHRCB030FPC25	On Request
40A - 30mA	BCHRCB030FPC40	On Request
63A - 30mA	BCHRCB030FPC63	On Request
25A - 100mA	BCHRCB100FPC25	On Request
40A - 100mA	BCHRCB100FPC40	On Request
63A - 100mA	BCHRCB100FPC63	On Request
25A - 300mA	BCHRCB300FPC25	On Request
40A - 300mA	BCHRCB300FPC40	On Request
63A - 300mA	BCHRCB300FPC63	On Request

All above RCCB's are 'AC' type



Zone	Effects
Zone 1	Usually no reactions
Zone 2	Usually no harmful effects
Zone 3	Muscle cramps can occur. There is normally no danger of ventricular fibrillation.
Zone 4	Chances of ventricular fibrillation increased upto 5% (Curve C2) upto 50% (Curve C3) and above 50% beyond Curve C3. Effects such as cardiac arrest, breathing arrest and heavy burns may also occur.



HSN Code : 8537



No. Of Way	No. of Modules (Incoming + Outgoing)	Cat. No. (Single Door)	MRP [₹]
4 WAY	4	BCHSPNSD04W	1715
6 WAY	6	BCHSPNSD06W	1835
8 WAY	8	BCHSPNSD08W	2150
12 WAY	12	BCHSPNSD12W	2820
16 WAY	16	BCHSPNSD16W	3605

No. Of Way	Cat. No. (Double Door)	MRP [₹]
4 WAY	BCHSPNDD04W	2765
6 WAY	BCHSPNDD06W	2825
8 WAY	BCHSPNDD08W	3240
12 WAY	BCHSPNDD12W	4335
16 WAY	BCHSPNDD16W	5535



No. Of Way	No. of Modules (Incoming + Outgoing)	Cat. No. (Single Door)	MRP [₹]
4 WAY	4	BCHPHTPNSD04W	5565
6 WAY	6	BCHPHTPNSD06W	6670
8 WAY	8	BCHPHTPNSD08W	7335

No. Of Way	Cat. No. (Double Door)	MRP [₹]
4 WAY	BCHPHTPNDD04W	6970
6 WAY	BCHPHTPNDD06W	8665
8 WAY	BCHPHTPNDD08W	10760

HSN Code : 8537



Description	No. of Modules (Incoming + Outgoing)	Cat. No. (Single Door)	MRP [₹]	Cat. No. (Double Door)	MRP [₹]
4 WAY, SPN DB	4	BCHSPNSD04W	1750	BCHSPNDD04W	2840
6 WAY, SPN DB	6	BCHSPNSD06W	1865	BCHSPNDD06W	2905
8 WAY, SPN DB	8	BCHSPNSD08W	2185	BCHSPNDD08W	3330
12 WAY, SPN DB	12	BCHSPNSD12W	2860	BCHSPNDD12W	4450
16 WAY, SPN DB	16	BCHSPNSD16W	3655	BCHSPNDD16W	5690

HSN Code : 8537



Description	No. of Modules (Incoming + Outgoing)	Cat. No. (Single Door)	MRP [₹]	Cat. No. (Double Door)	MRP [₹]
4 WAY, HTPN DB	8+12	BCHHTPNSD04W	5715	BCHHTPNDD04W	7160
6 WAY, HTPN DB	8+18	BCHHTPNSD06W	6855	BCHHTPNDD06W	8905
8 WAY, HTPN DB	8+24	BCHHTPNSD08W	7545	BCHHTPNDD08W	11060
12 WAY, HTPN DB	8+36	BCHHTPNSD12W	10000	BCHHTPNDD12W	15810

MCB DISTRIBUTION BOXES



HSN Code : 8537



Description	Cat. No.	No. of Modules (Incoming + Outgoing)	MRP [₹]
4 WAY, DD, MCB I/C, VERTICAL TPN DB	BCHVTPNDD04W-A	8+12	16210
6 WAY, DD, MCB I/C, VERTICAL TPN DB	BCHVTPNDD06W-A	8+18	20290
8 WAY, DD, MCB I/C, VERTICAL TPN DB	BCHVTPNDD08W-A	8+24	22860
12 WAY, DD, MCB I/C, VERTICAL TPN DB	BCHVTPNDD12W-A	8+36	29200

HSN Code : 8537



Description	Cat. No.	Suitable for MCCB Frame	MRP [₹]
4 WAY, DD, 125A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD04W-B	FRAME 1	22090
8 WAY, DD, 125A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD08W-B	FRAME 1	25315
12 WAY, DD, 125A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD12W-B	FRAME 1	34290
4 WAY, DD, 250A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD04W-C	FRAME 2	26910
8 WAY, DD, 250A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD08W-C	FRAME 2	32885
12 WAY, DD, 250A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD12W-C	FRAME 2	38390

Note:- XF series MCCB's are suitable as incomer in above DB's

All above DB's are double door

HSN Code : 8537



Description	Cat. No.	Suitable for MCCB Frame	MRP [₹]
4 WAY, DD 125A 4P MCCB I/C, VERTICAL TPN DB	On request	FRAME 1	On request
8 WAY,DD,125A,4P MCCB I/C, VERTICAL TPN DB	On request	FRAME 1	On request
12 WAY,DD,125A,4P MCCB I/C,VERTICAL TPN DB	On request	FRAME 1	On request
4 WAY, DD 250A 4P MCCB I/C, VERTICAL TPN DB	On request	FRAME 2	On request
8 WAY,DD,250A,4P MCCB I/C, VERTICAL TPN DB	On request	FRAME 2	On request
12 WAY,DD,250A,4P MCCB I/C,VERTICAL TPN DB	On request	FRAME 2	On request

Note:- XF series MCCB's are suitable as incomer in above DB's

All above DB's are double door

HSN Code : 8537



Description	Cat. No.	No. of Modules (Incoming + Outgoing)	MRP [₹]
4 WAY, DD,7 SEGMENT PHASE SEGREGATED DB	BCHPHSGDD04W	8+12+12	23225
6 WAY, DD,7 SEGMENT PHASE SEGREGATED DB	BCHPHSGDD06W	8+12+18	26160
8 WAY, DD,7 SEGMENT PHASE SEGREGATED DB	BCHPHSGDD08W	8+12+24	29215
12 WAY, DD,7 SEGMENT PHASE SEGREGATED DB	BCHPHSGDD12W	8+12+36	37115

All above DB's are double door

★ All above DB's are Non Stockable

MCB DISTRIBUTION BOX



HSN Code : 8537



Description	Cat. No.	MRP [₹]
4 WAY, 40A, DD, PHASE SELECTOR DB	BCHPHSLDD04W-40	23890
6 WAY, 40A, DD, PHASE SELECTOR DB	BCHPHSLDD06W-40	24525
8 WAY, 40A, DD, PHASE SELECTOR DB	BCHPHSLDD08W-40	27465
12 WAY, 40A, DD, PHASE SELECTOR DB	BCHPHSLDD12W-40	31295
4 WAY, 63A, DD, PHASE SELECTOR DB	BCHPHSLDD04W-63	24080
6 WAY, 63A, DD, PHASE SELECTOR DB	BCHPHSLDD06W-63	24910
8 WAY, 63A, DD, PHASE SELECTOR DB	BCHPHSLDD08W-63	28615
12 WAY, 63A, DD, PHASE SELECTOR DB	BCHPHSLDD12W-63	31805


All above DB's are double door



HSN Code : 8537

Description	Cat. No.	No. of Modules (Incoming + Outgoing)	MRP [₹]
2 ROW, 13 MODULE, DD, ROW DB	BCHROWDB2R13	13	10620
3 ROW, 13 MODULE, DD, ROW DB	BCHROWDB3R13	13	12515
4 ROW, 13 MODULE, DD, ROW DB	BCHROWDB4R13	13	13865

All above DB's are double door



HSN Code : 8537

Description	Cat. No.	No. of Modules (Incoming + Outgoing)	MRP [₹]
SPN-10A, P&S DB	BCHPSDBSPN10		2150
SPN-20A, P&S DB	BCHPSDBSPN20		2150
TPN-20A, P&S DB	BCHPSDBTPN20		6150
TPN-30A, P&S DB	BCHPSDBTPN30		6150



HSN Code : 8537

Description	Cat. No.	No. of Modules (Incoming + Outgoing)	MRP [₹]
SP, ONE WAY MCB DB	BCHOWMCBDBSP		890
DP, ONE WAY MCB DB	BCHOWMCBDBDP		890
TP, ONE WAY MCB DB	BCHOWMCBDBTP		970
FP, ONE WAY MCB DB	BCHOWMCBDBFP		970

★ All above DB's are Non Stockable





BCH

Price List

General Terms & Conditions

Prices are subject to change without any prior notice and will be applicable as prevailing at the time of dispatch.

- The prices are ex-works basis..
- The prices given in this list are effective as on date and are subject to change without notice.
- The List Prices (LP) mentioned are exclusive of GST.
- The duties, taxes and other statutory levies are based on rates prevailing at the time of billing. Any subsequent revision of those rates having retrospective effective shall be to customer's account.
- In case where any GST exemption has been claimed, the purchaser is responsible for providing the necessary GST exemption form within the specified period, failing which the purchaser would be liable for the payment of full GST plus applicable interest and penalties
- All Prices are in Indian Rupees (₹).
- Alteration made after receipt of confirmation of order are subject to price & delivery revisions and any other expenses or levies
- The dispute, if any, will be resolved mutually by discussion. However, if no settlement is forthcoming then, the Courts at New Delhi shall only have territorial jurisdiction to hear and decide the dispute.

Warranty

All products unless specifically mentioned otherwise, shall have warranty against manufacturing defects only for a period of 12* months from the date of invoice or 18 months from the date of manufacturing whichever is later. The Company shall not be liable to give warranty replacement / service for the products damaged due to negligence or wrong application of the product by the customer.

* Proof of purchase to be retained to avail warranty.

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



www.bchindia.com

Power Distribution
Final Distribution Products
Industrial Control & Protection
Industrial Brakes
Industrial Automation & Safety
Starters
Enclosures
Wires & Cables
Power Quality & Energy Management
Electric Motors
Switchboards & Solutions
Power Bus Duct



BCH ELECTRIC LIMITED



www.bchindia.com



1800-103-9262
customercare@bchindia.com

Visit us at : www.bchindia.com

Registered & Corporate Office : 1105, New Delhi House, 27, Barakhamba Road, New Delhi - 110 001 Tel. : 91-11- 43673100

CIN : U31103DL1965PLC425953, **Customercare No.** 1800-103-9262, **E-mail :** marketing@bchindia.com

Works 1 : 20/4, Mathura Road, Faridabad - 121 006 (Haryana) Tel. : 0129-4063000/4293000 Fax : 0129-2304016

Works 2 : 64-68, Sector-7, IIE, Pant Nagar, Rudrapur, Udham Singh Nagar - 263 153 (Uttarakhand) Tel. : 05944-250214/16 Fax : 05944-250215

Sales Offices :

Ahmedabad
401, Ship Zeveri,
Beside Shyamal Iconic,
Above Westside,
Shyamal Cross Road,
Ahmedabad - 380015
E-mail: ahmedabad@bchindia.com

Bangalore
2nd Floor, 130/5,
K.H. Road (Double road),
Bangalore - 560 027
Tel. : 080-41144879 / 22236759
E-mail : bangalore@bchindia.com

Bhubaneswar
Mallick Commercial
Complex Plot No.: A/69, unit - 3
Bhubaneswar - 751 001
Tel.: 0674-2380988
E-mail.: bhubaneswar@bchindia.com

Chandigarh (Panchkula)
SCO -270, 2nd Floor,
Sector-16, Panchkula
Haryana-134 113
Tel.: 0172-5078957 / 5049905
E-mail.: chandigarh@bchindia.com

Chennai
Flat No. 3A, 3rd Floor,
Sree Apartments,
No.508, TTK Road,
Alwarpet, Chennai 600 018
Tel.: 044-24337046, 24337047
E-mail : chennai@bchindia.com

Coimbatore
87, Dr. Nanjappa Road,
Coimbatore - 641 018
Tel. : 0422-2305311 / 2302599
E-mail : coimbatore@bchindia.com

Delhi 1
801, Akash Deep Building,
26A, Barakhamba Road,
New Delhi - 110 001
Tel. : 011-23313878 / 43518200
E-mail : delhi@bchindia.com

Delhi 2
710, Deepali Building, 92
Nehru Place, New Delhi - 110
019 Tel. : 011-45720334
E-mail : delhi2@bchindia.com

Dehradun
8, Co-operative Industrial Estate,
Patel Nagar, Dehradun-248001
E-mail : dehradun@bchindia.com

Faridabad
20/4, Mathura Road,
Faridabad - 121 006 (Haryana)
Tel: 0129-4293009
E-mail : faridabad@bchindia.com

Hyderabad
1-8-303/48/13/102, Arya One,
2nd Floor, P. G. Road,
Secunderabad - 500 003
Tel. : 040-66206263/27890306
Fax : 040-66207273
E-mail : hyderabad@bchindia.com

Indore
330-331, Indraprastha Tower,
3rd Floor, 6, M.G. Road,
Indore - 452 001
Tel. : 0731-2510011 / 2510012
E-mail : indore@bchindia.com

Jaipur
25, Hathroi, Gopalbari,
Jaipur - 302 001
Tel. : 0141-2363521
E-mail : jaipur@bchindia.com

Jamshedpur
A.J. Tower, 2B,
2nd Floor, R-Road, Bistupur,
Jamshedpur - 831 001
E-mail : jamshedpur@bchindia.com

Kolkata
Block 1E, 216,
Acharya Jagadish Chandra Bose
Road, Kolkata - 700 017
Tel. : 033-22871728 / 46021884
E-mail : kolkata@bchindia.com

Lucknow
Shop No. 3, First Floor,
Tower T-10, Millennium Place IBB - 2,
Sushant Golf City, Sultanpur Road,
Lucknow U.P. - 226030
Tel. : 0522-4025597/4025997
E-mail : lucknow@bchindia.com

Ludhiana
S.C.O. - 18, 2nd Floor,
Feroze Gandhi Market,
Ludhiana - 140 001
Tel. : 0161-5021807/5022808
E-mail : ludhiana@bchindia.com

Madurai
12, Parvathi Plaza-3rd Floor,
70 Feet Road, Ellis Nagar
Madurai-625016, Tamilnadu
Email: madurai@bchindia.com

Mumbai
A-151, Mittal Tower,
Nariman Point,
Mumbai - 400 021
Tel. : 022-22822947/22850162
Fax : 022-22822858
E-mail : mumbai@bchindia.com

Patna
No.703, 7th Floor, Luv Kush
Tower, Exhibition Road,
Patna - 800001

Pune
A-605, 6th Floor,
Kumar Surabhi Building,
Pune Satara Road,
Opposite Sai Baba Temple,
Pune - 411009
E-mail : pune@bchindia.com

Raipur
6th Floor, Office No. 607,
Babylon Capital, Near Oswal
Petrol Pump, VIP Chowk,
G.E. Road, Raipur - 492 006
Tel. : 0771- 4045053
E-mail : raipur@bchindia.com

Vadodara
301, Third Floor, "Florence Classic",
10, Ashapuri Co-Op. Hsg. Soc. Ltd., Opp. VUDA
Housing, Near Cow Circle, Akota, Vadodara - 390 020
Tel. : 0265-2345068/2345069
Telefax : 0265-2345068,
E-mail : vadodara@bchindia.com

Other Branch Locations

Cochin : cochin@bchindia.com, **Guwahati** : guwahati@bchindia.com, **Vishakapatnam** : vizag@bchindia.com, **Surat** : surat@bchindia.com, **Trichy** : Trichy@bchindia.com

Resident Engineer Locations

Agra	Bhopal	Hospet	Kanpur	Muzaffarnagar	Rajahmundry	Silliguri	Varanasi
Ahmednagar	Calicut	Hubli	Karimnagar	Nanded	Ranchi	Solapur	Vijaywada
Ambala	Goa	Idukki	Karnal	Nashik	Rourkela	Srinagar	Vishakapatnam
Anantapur	Gulbarga	Jabalpur	Kota	Panipat	Rudarpur	Trivendrum	Vellore
Ankleshwar	Gurgaon	Jalandhar	Kurnool	Patna	Salem	Tirunelveli	Vilupuram
Aurangabad	Haridwar	Jodhpur	Midnapore	Puducherry	Sikar	Udaipur	Warangal
Bhiwadi	Hisar	Kashipur	Mahua	Rajkot	Silchar	Vapi	Yamunanagar

Since product improvement is a continuous process, the data furnished in this brochure may undergo revision without prior notice.